



PREMIER LINEAR HIGHBAY G1

10KV SURGE PROTECTION**140LM/W**

FEATURES

Fully serviceable, high-powered LED Highbays designed for commercial as well as light and heavy industrial applications. With a unique modular platform allowing extreme versatility of configuration. Bay XL's are made standard with an IP40 rating as well as built-in 4kV surge protection (upgradeable with a replaceable 10kV module).



PORT ELIZABETH
T: +27 41 484 3330

CAPE TOWN
T: +27 21 551 2400

DURBAN
T: +27 31 700 0055

JOHANNESBURG
T: +27 31 700 0055

BLOEMFONTEIN
T: +27 51 447 0020

HEAD OFFICE: Corner Darling & Delson Street, North End, Port Elizabeth, South Africa

www.daylight.co.za

**EFFICIENCY**

140 lm/w

**Ra (CRI)**

>80

**PF**

0.98

**IP RATING**

IP40

**LIFETIME**L80 B10
50 000 hrs**COLOUR
TEMP**3000K, 4000K
5000K



SHARED SPECS

ADDITIONAL INFORMATION:

- Operating temperature: -25°C to +45°C (Up to +65°C)
- Driver & LED vender: Tridonic Driver, TCI LEDs
- Casambi Bluetooth® Technology
- Earth connection and CLASS 1 insulation fixture
- VOLTpro® compatible
- All units are serviceable and all parts replaceable.

MATERIAL:

- Structure: Aluminium
- Category: 6063 T3 Corrosion Resistant
- Finish: Powder Coated
- Lens: Acrylic
- Fixture colour: Black

LIGHT DISTRIBUTION OPTIONS**INSTALLATION OPTIONS:****Mini Shackle (Standard)**

Stainless steel 316 quick snap-on hook attachment, no tools required.

**Claw - On request**

Spring steel claw included on request, hooks directly onto P2000 channel.

PORT ELIZABETH
T: +27 41 484 3330

CAPE TOWN
T: +27 21 551 2400

DURBAN
T: +27 31 700 0055

JOHANNESBURG
T: +27 31 700 0055

BLOEMFONTEIN
T: +27 51 447 0020

HEAD OFFICE: Corner Darling & Delson Street, North End, Port Elizabeth, South Africa

www.daylight.co.za

SPECIFICATIONS:

LUMINAIRE	LUMINAIRE WATTAGE	LUMINAIRE LENGTH (mm)	LUMINAIRE LED mA	LUMINAIRE EFFECTIVE LUMEN
DL-LHBG1-102	47W - 57W	650	350mA - 420mA	6600 lm - 7500 lm
DL-LHBG1-103	71W - 85W	870	350mA - 420mA	9900 lm - 11,300 lm
DL-LHBG1-104	94W - 113W	1200	350mA - 420mA	13,200 lm - 15,000 lm
DL-LHBG1-105	118W - 141W	1500	350mA - 420mA	16,500 lm - 18,800 lm

PORT ELIZABETH
T: +27 41 484 3330

CAPE TOWN
T: +27 21 551 2400

DURBAN
T: +27 31 700 0055

JOHANNESBURG
T: +27 31 700 0055

BLOEMFONTEIN
T: +27 51 447 0020

HEAD OFFICE: Corner Darling & Delson Street, North End, Port Elizabeth, South Africa

www.daylight.co.za

*See product warranty terms and conditions at <https://daylight.co.za/warranty-terms-and-conditions/>